


# Metal Garden Shed Cold Grey-277x322cm or 9'1"x10'7"

# Owner's Manual / Assembly Instructions



Requires two people and takes 3-4 hours for Installation.

# Assembly Preparation Owner's Manual

### Important Safety & Code Compliance

Before starting the construction of your storage building, please ensure that you check your local building codes for any requirements related to footings, location, and other specifications. Adhering to these codes is essential for the proper and safe installation of the structure.

# Assembly Instructions

Before you begin assembly, review all instructions and the associated information carefully. It's crucial to follow the step-by-step sequence exactly to ensure a successful and efficient build.

## Flooring Base Preparation

Location: Choose a flat, level area with good drainage for your storage building. This will ensure stability and prevent water-related issues in the future.

Foundation: The foundation is not included in the kit and may need to be purchased separately or built independently. It should extend at least 10 cm beyond the base rails of the shed. We recommend a minimum of 10 cm thick concrete slab for the foundation.

Moisture Barrier: To prevent rising dampness from the soil, place a strong plastic sheet (at least 150µm thick) beneath the foundation. This will reduce moisture buildup inside the shed, minimizing condensation and mold growth.

Anchoring: Proper anchoring is essential to prevent wind damage. After securing the structure, apply silicone along the inside of the base rail to reduce condensation.

#### Parts and Parts List


Before beginning, check to ensure all parts are accounted for by referring to the Parts List page.

Important: Do not attempt assembly if parts are missing. Incomplete assembly may lead to structural issues or damage from even mild winds.

Safety Note: Tear off the protective safety layer on the parts before assembly, but be sure to keep the part number labels if needed for future reference.

#### Tools You Will Need

Ensure that you have the following tools and equipment ready before starting:



## Important Safety Reminders:

Safety First: Always prioritize safety. Wear protective gloves, eye protection, and long sleeves to avoid injury from sharp edges.

Teamwork Required: We recommend having two or more people for assembly to ensure ease and safety.

Proper Conditions: Choose a dry, calm day for assembly. It's also suggested to complete the assembly in one day to avoid the risk of losing small parts or causing unintentional damage to the kit.

Note: Keep small parts, such as screws, in a bowl or container to avoid losing them.

Sharp Edges: Be cautious of the sharp edges on some parts.

No Children or Pets: Ensure that children and pets are kept away from the construction site during assembly.

Avoid Roof Strain: Never place your full weight on the roof during assembly. If using a step ladder, ensure it's stable and secure.

#### Care & Maintenance

To ensure the longevity of your storage building, follow these maintenance steps:


Cleaning: Clean the exterior and interior of the shed regularly using a soft cloth. Water may be used for stubborn stains.

Door Maintenance: Keep the door tracks free of dirt, debris, or obstructions that might prevent smooth sliding.


Snow Removal: In winter, use appropriate tools to remove snow from the roof and doorway to ensure safe access.


Proper Use: This shed is designed for storage purposes only. It is not intended for habitation.

Door Sliding Maintenance: Apply a small amount of oil to the top and bottom sliding channels of the door to ensure smooth operation.





# Area of installation requirement:






NO.	IMAGE	mm	QTY		NO.	IMAGE	mm	QTY
UNDER					As-E28	<u> </u>	659	x1
Bs-B1		1693	<b>x</b> 1		DOOR			
Bs-A2	<b>7</b> ^L	1074	<b>x</b> 1		As-B30 As-B35		1643	x1
Bs-G3		1593	x2				1643	x1
Bs-G3a		1600	x2		Ts-31		1583	x2
Bs-B4	<b>71.</b> 7%	803	<b>x</b> 1		Bs-B32		978	х4
Bs-B5		803	<b>x</b> 1	]	Bs-B33		593	х1
Bs-B6	75	1170	<b>x</b> 1		Bs-B34		593	х1
MIDDLE					Bs-B36		593	х1
Bs-8		1648	х4		Bs-B37		593	х1
Bs-14	~~~~	1648	x12		ANNEX			
Bs-B9		1315	<b>x</b> 1		T-P1	E.		х4
Bs-B10		1315	<b>x</b> 1		T-P2			х4
Bs-B11	7	1249	<b>x</b> 1		T-P3	Ŕ		х4
Bs-B12		1453	<b>x</b> 1		T-P4	Ø		x2
As-E13	7	1784	x2		TP5A			х4
As-D15		1401	x2		T-P6			x2
Bs-16	7	1648	<b>x</b> 1		T-P7		200	<b>x</b> 1
Bs-17		1648	<b>x</b> 1		T-P8	Q.		x2
Bs-B18		1257	<b>x</b> 1		As-E40	0		x289
TOP1					As-E41	<b>6</b>	ST4X10	x318
As-C19		1305	x2		As-E42	O <sup>MP</sup>	ST4X16	x25
As-C20		1305	x2		As-E43	One (g)	M4X10	x105
As-E22	. 3	1625.5	х4		As-E44	8		x111
As-E22a		1625.5	х4					
T-B29	8	160	<b>x</b> 4					
TOP2					9			
As-C23		1420	x2					
As-C24		1420	х6					
As-C25		1420	x2					
As-26	٦	1294	х4					
As-27		655	x2					
As-C38		1417	x2					
As-C39		1417	<b>x</b> 2					
As-A28	<u></u>	1298	x2					































































































































(mgm)








































Importer: Inthemarket.
Tel:021-4389345 Email: info@inthemarket.ie
VAT Registered 3700247RH. CRO Number 672650.
Copyright © 2025. All rights reserved by InTheMarket